# HP E24mv G4 FHD Conferencing Monitor

# **Present Your Best Self**

Make a great impression on video calls on this 23.8-inch full HD conferencing monitor. The integrated, 5MP tilt-adjustable pop-up webcam displays a sharp, detailed picture – even in low light – and the built-in speakers and mic produce clear, life-like sound. Everything you need to present your best self on every call. <sup>1</sup>



\*Product image may differ from actual product

### Look Great. Sound Great.

Say goodbye to blurry images or muffled sound on video calls. With speakers and a mic that produce full, rich sound and a 5MP webcam with 25 degrees of tilt adjustability for perfect angles, pop-up action for privacy, and improved Windows Hello support, you'll present your best on every call.

### **Enhanced Viewing Comfort**

Much of our world operates on screens now, so working long hours in front of a monitor can be tiring and impactful to productivity. HP Eye Ease with TÜV Rheinland Hardware Low Blue Light Certification helps keep you comfortable throughout your day by reducing blue light without the yellow color shift.

#### Endless Adjustability

Work effortlessly with 4-way ergonomics that help keep your neck, shoulders, and back comfortable throughout the day. Customize tilt, height, swivel and pivot settings to fit you, your desk, and your needs, and you'll easily see the FHD monitor and 3-sided Micro-Edge 23.8-inch diagonal screen perfectly from virtually any viewing angle.

# Sustainability in action

#### Environmentally Aware. Responsibly Made.

Choose a monitor that not only scores high for its functionalities, but also low for its environmental impact. Its plastics consist of over 80% recycled materials<sup>2</sup>, and its recyclable packaging is 100% sustainably sourced<sup>3</sup>. Additionally, this monitor is ENERGY STAR® certified and EPEAT® registered<sup>4</sup>.



# HP E24mv G4 FHD Conferencing **Monitor**

# **Featuring**







#### More Ports. More Flexibility.

Packed with ports including HDMI, DisplayPort™, USB-B plus four USB ports.<sup>5</sup>

# Personalized and Protected

Personalize brightness and color settings or set up security protocols all without the OSD. With HP Display Center installed, you have the  $control.^6$ 

#### Remote Management Reimagined

HP Display Manager makes remote management of the monitor easy. Simplify deployment, asset tracking, and remotely control monitor settings, like turning the power off.7

#### 3-year Limited Warranty

Get peace of mind with a 3-year warranty.



# HP E24mv G4 FHD Conferencing Monitor

# **Specifications**

### Display specifications

Display size

Display size (diagonal, metric)

60.45 cm (23.8")

Aspect ratio 16:9

Curvature

Native resolution

FHD (1920 x 1080)<sup>1</sup>

Resolution (maximum)

FHD (1920 x 1080 @ 60 Hz) Resolutions supported

640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 800; 1280 x 1024; 1440 x 900; 1600 x

900; 1680 x 1050; 1920 x 1080

Panel type

Bezel

3-sided micro-edge

Panel active area

52.70 x 29.65 cm

Panel bit depth 8 bit (6 bit + 2 FRC)

Display colors

Up to 16.7 million colors supported (through FRC technology)

Display color gamut

72% NTSC

Display scan frequency

50-60 Hz (Vertical) 30-80 KHz (Horizontal)

Response time

5ms GtG (with overdrive)<sup>1</sup>

Brightness

250 nits1

Contrast ratio

1000:1 (Static) 5000000:1 (Dynamic)

Pixel pitch 0.274 mm

Pixels per inch (ppi)

Viewing angle

178° (Vertical) 178° (Horizontal)

Backlight type

Edge-lit Backlight lamp life

Display features

On-screen controls; Low blue light mode; Dual speakers (2W per channel); Anti-glare; IR webcam; Height Adjust/Tilt/Swivel/Pivot

Display User Control Options

Brightness; Exit; Information; Management; Menu; Power; Input control; Image; Color

Management software

HP Display Center; HP Display Manager

Remote manageability

Low blue light modes

Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)

Flicker-free

Screen treatment

Anti-alare

Hardness

Haze 25%

VESA mount

100 mm x 100 mm

Height adjustment range

150 mm

Tilt -5 to +23°

Swivel

±45°

**Pivot** 

Camera

Yes, 5MF Microphone

Speaker output power

### Connectivity and communications

Port and connectors

1 DisplayPort™ 1.2

1VGA

1x 3.5 mm Audio Jack (Audio Out)

4 SuperSpeed USB Type-A 5Gbps signaling rate

1USB-B No

**Power supply** 100 - 240 VAC 50/60 Hz

(Internal)

Power consumption

50 W (maximum), 28 W (typical), 0.5 W (standby)

#### Logistics and Physical

Product color

Black head, silver stand

Detachable stand

Physical security

Security lock-ready Base area footprint

288 x 216 mm

Dimensions without Stand (WxDxH)

53.94 x 4.7 x 35.56 cm

Dimensions with stand (W x D x H)

53.94 x 21.6 x 53.07 cm

Weiaht

6.5 kg (With stand.)

Packaged Dimensions (W x D x H)

Packaged weight

10.4 kg

Pallet Dimensions (LxWxH) 1150 x1170 x1907 mm (40' ft)

Pallet weight

377.426kg (40' ft) Products per layer

20 sets per pallet (slip sheet & pallet)

#### Certification and compliance

Energy efficiency

ENERGY STAR® certified E

Ecolabels

TCO Certified; EPEAT® registered3

Certifications

Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; ENERGY STAR\*; FCC; GS Mark; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV/GS; VCCI; Vietnam MEPS; WEEE; Low blue light; WW application; UAE; Ukraine certificates; CEL Grade 24

Microsoft WHQL certification

Certified collaboration software

Windows Hello compatible

Operating temperature range

41 to 95°F

Operating humidity range 20 to 80% non-condensing

# Additional information

Monitor; DisplayPort™ cable; HDMI cable; USB Type-A to B cable; Doc-kit; AC power cord



# HP E24mv G4 FHD Conferencing **Monitor**

# Accessories and services (not included)

**HP B300 PC Mounting Bracket** 



Customize an altogether better solution with the HP B300 PC Mounting Bracket, which lets you attach your HP Workstation, HP Desktop Mini, HP Chromebox or select HP Thin Client directly behind select 2017 and 2018 HP EliteDisplays and HP Z Displays.

Product number: 2DW53AA

Sold separately. See product QuickSpecs for exact device and display compatibility.

HP Business PC Security Lock v3



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the affordable HP Business PC Security Lock v3 Kit.

Product number: 3XJ17AA

**HP Quick Release Bracket 2** 



Use the HP Quick Release Bracket 2 to attach your HP Desktop Mini to an HP display 1 and a variety of stands, arms or wall mounts.<sup>2</sup> The failsafe "Sure-Lock" mechanism snaps the PC securely in place, and can be further secured with a theft-deterrent security screw. Product number: 6KD15AA

**HP Integrated Work Center for Desktop Mini and Thin Client** 



Make the most of small work spaces with an HP IWC Desktop Mini/Thin Client that lets you create a compact desktop solution by combining a display with an HP Desktop Mini, HP Thin Client or HP Chromebox and giving you convenient front access to all of its inputs.

Product number: G1V61AA

1 WC is compatible with displays up to 24 diagonal inches. See QuickSpecs for exact device compatibility.



# HP E24mv G4 FHD Conferencing **Monitor**

### **Footnotes**

# **Messaging Footnotes**

- <sup>1</sup> Based on HP's internal analysis of monitor series with webcams. Most advanced based on physical integration, camera angle tile, Windows Hello IR sensor, minimum 5MP and as privacy pop-up as of 5/28/2021. <sup>2</sup> Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
- <sup>3</sup>100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- <sup>4</sup>Based on US EPEAT\* registration according to IEEE 1680.1-2020 EPEAT\*. Status varies by country. Visit www.epeat.net for more information.
- <sup>5</sup> Comes with DisplayPort™, HDMI, USB-B to A cables and Power Cord.
- <sup>6</sup> Host PC requires Windows 10. HP Display Center is available on the Microsoft store.
- $^7 \text{HP Display Manager software agent must be running on a web server and host PC. Some limitations may apply to legacy monitors.}$

## **Technical Specifications Footnotes**

- <sup>1</sup>All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.
- <sup>3</sup> Based on US EPEAT\* registration according to IEEE 1680.1-2018 EPEAT\*. EPEAT\* status varies by country. Visit www.epeat.net for more information.
- <sup>4</sup> Monitors produced from June 2024 comply with China regulation GB 21520-2023.

The product could differ from the images shown. 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty, HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort\* is a trademark owned by the Video Electronics Standards Association (VESA\*) in the United States and other countries. ENERGY STAR\* is a registered mark owned by the U.S. government. EPEAT\* is a registered trademark of GREEN ELECTRONICS COUNCIL.

